



SFA



SFA 300 AG 4AW

ENGINE

1-Cylinder, SOHC, Liquid Cooled

DISPLACEMENT

289cc

RATED OUTPUT

22.93 hp / 17.1kw @ 7,000rpm

MAX. TORQUE

27.2 Nm @5,500

COOLING SYSTEM

SFA 300 AG 4AW

LENGTH / WIDTH / HEIGHT / WEIGHT

2000mm / 1110mm / 1275mm /

SEAT HEIGHT

830mm

GEARBOX

Automatic

TANK CAPACITY

13.7L



QJMotor A

FROM

£0

+ OTR

SFA 300 AG 4AW FEATURES

ENGINE

The brand new QJMOTOR SFA300 is powered by a single-cylinder, liquid-cooled engine that produces 24 horsepower. This allows it to operate efficiently on both paved and unpaved roads.



SUSPENSION

The brand new QJMOTOR SFA300 features independent double wishbone suspension at the front, while the rear features a single trailing arm integrated with the drive shaft and differential. This distinguishes this model from competing 300cc ATVs, which are typically chain-driven. The suspension on this ATV is based on two oil-damped shock absorbers at the front and a single central shock absorber at the rear.

TFT DISPLAY

This brand new QJMOTOR SFA300 has an aesthetic TFT display on which you can read the speed, engine speed, fuel level, engine temperature, current gear engaged and the number distance travelled. The driver also has two USB charging sockets at their disposal.



BUMPERS & LIGHTING

The QJMOTOR SFA300 has full LED lighting with front and rear bumpers as standard.

SFA 300 AG 4AW FINANCE

Flexible payment options to suit your budget

